

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

| TIME IN 09:35 | TIME OUT 10:06 | | |
|---------------|----------------|--|--|
| PAGE 1 of | 2 | | |

| WITH ANY TIM | E LIMITS | FOR CORRE | JCH SHORTER PERI CTIONS SPECIFIED | CILICIE LIMIE AS | MAYRE | COLC | IEIED | INI IA/D | ITINIC DV T | THE DE | R FACILITIES WHICH MUST BE CORRECT GULATORY AUTHORITY. FAILURE TO | COMPL | Y THE Y |
|--|---|--|---|--------------------|-------------------|----------|--|---|--|---|--|--------|------------|
| Faithful | Groui | nds Coffe | ee Co. | OWNER: Jhonni W | | | | | | | PERSON IN CHARGE: | | |
| ADDRESS: 33050 Central St. | | | | | | | | | | COUNTY: Bollinger | COUNTY: Bollinger | | |
| CITY/ZIP: Sedgewickville 63781 PHONE: 573-208-5 | | | 5197 | 197 FAX: | | | | | М | L | | | |
| BAKERY RESTAL | NT TYPE | C. STOR | RE CATERER | | ELI JMMER | | | GROCE | ERY STOR | E | ☐ INSTITUTION ☐ MOBILE V | ENDOR | S |
| PURPOSE Pre-oper | ning | Routine | ☐ Follow-up | ☐ Complaint | | | | | | | | | |
| FROZEN DE | | | SEWAGE DISPO | SAL PRIVATI | E | | | UPPL MUNIT | | | COMMUNITY PRIVATE | | |
| License No. N/A Date Sampled Results N/A Btled | | | | | | | | | | | | | |
| RISK FACTORS AND INTERVENTIONS Risk factors are food preparation practices and employee behaviors most commonly reported to the Centers for Disease Control and Prevention as contributing factors in | | | | | | | | | | | | | |
| Toodborne liine | ess outbre | eaks. Public h | ealth interventions a | ire control measu | res to pre | event fo | podbor | ne illne | ss or injury | ease Co | | | |
| Compliance | OUT | | Demonstration of Know arge present, demons | | COS | S R | 74500 | mpliance | Company Company | Prope | Potentially Hazardous Foods or cooking, time and temperature | COS | S R |
| | 001 | and performs | duties | | | _ | | | N/O N/A | 200,020,000 | ALCONOMIC CONTRACTOR ACCOUNTS ASSESSMENT OF THE SECOND ACCOUNTS ASSESSMENT AS | | |
| | TUC | Management | Employee Health awareness; policy pr | | 100 | + | | | N/O N/A | | r reheating procedures for hot holding r cooling time and temperatures | | |
| IN (| TUC | | f reporting, restriction | and exclusion | | | _ | OUT | N/O N | Prope | r hot holding temperatures | | |
| IN OUT | N | Proper eating | Good Hygienic Prac , tasting, drinking or t | | | | IN | OUT | N/O N | | r cold holding temperatures r date marking and disposition | | |
| IN OUT | N | No discharge | from eyes, nose and | mouth | | | IN I | OUT | N/O N | Time a | as a public health control (procedures / | | |
| | | | enting Contamination | | | | | | | | Consumer Advisory | | |
| ■ OUT | N/O | a comparation of the | and properly washed | | | | IN | ou. | T NEW T | | umer advisory provided for raw or cooked food | | |
| IN OUT | N | | d contact with ready-to ernate method proper | | | | | | | Highly Susceptible Populations | | | |
| | TUC | Adequate has accessible | ndwashing facilities si | upplied & | | | IN (| OUT | N/O N | Paste | urized foods used, prohibited foods not | | |
| | OUT | Food obtaine | Approved Source of from approved sour | | | | IN | OU. | T N | Food | Chemical additives: approved and properly used | | |
| | D N/A | | d at proper temperatu | | | | 114 | | OUT | Toxic | substances properly identified, stored and | | |
| distanti decembro dell' | 20 INSTRUCT | Food in good | condition, safe and u | inadulterated | | | - | - | 001 | used | onformance with Approved Procedures | | |
| IN OUT N/O Required records available: shellstock tags, parasite destruction | | | | | IN | OU. | OUT Compliance with approved Specialized Process and HACCP plan | | | | | | |
| | | 1 | rotection from Contan | nination | | | | | | | | • 11 | |
| OUT | N/A | Contract of the Contract of th | ted and protected | | | | 1200000000 | The letter to the left of each item indicates that item's status at the time of the inspection. | | | | of the | |
| OUT | N/A | | surfaces cleaned & | | | | IN = in compliance OUT = not in compliance N/A = not applicable N/O = not observed | | | | | | |
| IN OUT | N D | | d, and unsafe food | | | | | | | | | | |
| | | Good Retail Pr | ractices are preventat | | ontrol th | | | | nogens che | emicals | , and physical objects into foods. | | |
| IN OUT | E PAR | Sa | fe Food and Water | The medianes to e | cos | R | IN | OUT | | | Proper Use of Utensils | cos | R |
| | | | ed where required pproved source | | | | X | | | | properly stored nent and linens: properly stored, dried, | | |
| × | ,,,,,,,, | SPECIAL PROPERTY OF THE PROPER | Actor reconstruction | | | | × | | handled | | | | |
| × | Adequ | | Temperature Control for temperature control | | | | × | | Gloves u | | le-service articles: properly stored, used operly | | |
| × | Appro | ved thawing me | | | | | | | Food on | Utensils, Equipment and Vending | | | |
| × | Them | iometers provid | ied and accurate | | | | × | | designed | Food and nonfood-contact surfaces cleanable, properly designed, constructed, and used | | | |
| | Food Identification | | | | | × | | Warewa strips us | arewashing facilities; installed, maintained, used; test | | | | |
| X | Food | | d; original container on of Food Contamina | ation | | | × | | Nonfood | food-contact surfaces clean Physical Facilities | | | |
| × | | s, rodents, and | animals not present | | | | × | | | | ater available; adequate pressure | | |
| × | and di | splay | nted during food prep | | | | × | | Plumbing installed; proper backflow devices | | | | |
| × | finger | nails and jewell | : clean outer clothing, ry | nair restraint, | | | × | | Sewage and wastewater properly disposed | | | | |
| X | X Wiping cloths: properly used and stored | | | | | | × | | | | properly constructed, supplied, cleaned properly disposed; facilities maintained | | |
| X Fruits and vegetables washed before use | | | | | | × | | | | es installed, maintained, and clean | | | |
| Person in Charge /Title: Same Date: 10 Jun 2025 | | | | | | | | | | | | | |
| Inspector | 1. | 1 | 2 | Tele | phone 1 -238-2 | No. | | | EPHS No. | 0. | Follow-up: Yes | ☑ 1 | 10 |
| | m | 1. 6 | ann | 5/3 | -230-2 | 101/ | | | CANADY E | I E CODY | Follow-up Date: | | F6 37 |



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

| TIME IN 09:35 | TIME OUT 10:06 | | | |
|---------------|----------------|--|--|--|
| DAGE 2 | 2 | | | |

| Faithful Grounds Coffee Co. | | 33050 Central St. | 781 | | | |
|-----------------------------|---|---|--|---|-------------------|--|
| FOOD PRODUCT/LOCATION | | | FOOD PRODUCT/ | Sedgewickville 63781 LOCATION TEMP. in ° | | |
| , 0. | Refrigerator | TEMP. in ° F | , COD PRODUCT/T | CONTION | TEMP. II | |
| | Food storage freezer | Good | | | | |
| | | just reference | | | | |
| | | | | | | |
| | Corn in warmer | | | | | |
| Code Reference | Priority items contribute directly to the or injury. These items MUST RECEIV | PRIORITY I' elimination, prevention or reduction E IMMEDIATE ACTION within 72 | TEMS n to an acceptable level, hazards as hours or as stated. | sociated with foodborne illness | Correct by (date) | Initial |
| | No items noted at time of in | spection. | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Code | | CORE ITE | EMS | | Correct by | Initial |
| Code Reference | Core items relate to general sanitation, | CORE ITE | EMS structures, equipment design, gener | al maintenance or sanitation | Correct by (date) | Initial |
| | Core items relate to general sanitation, standard operating procedures (SSOP No items noted at time of in | operational controls, facilities or s s). These items are to be correct | EMS structures, equipment design, gener sted by the next regular inspection | al maintenance or sanitation n or as stated. | | Initial |
| | Core items relate to general sanitation, standard operating procedures (SSOP No items noted at time of in | operational controls, facilities or s s). These items are to be correct | EMS structures, equipment design, gener tted by the next regular inspection | al maintenance or sanitation n or as stated. | | Initial |
| | | operational controls, facilities or s s). These items are to be correct | EMS structures, equipment design, gener sted by the next regular inspection | al maintenance or sanitation n or as stated. | | Initial |
| | | operational controls, facilities or s s). These items are to be correct | EMS structures, equipment design, gener ted by the next regular inspectio | al maintenance or sanitation n or as stated. | | Initial |
| | | operational controls, facilities or s s). These items are to be correct | EMS structures, equipment design, gener ted by the next regular inspection | al maintenance or sanitation n or as stated. | | Initial |
| | | operational controls, facilities or s s). These items are to be correct | EMS structures, equipment design, gener ted by the next regular inspectio | al maintenance or sanitation n or as stated. | | Initial |
| | | operational controls, facilities or s s). These items are to be correct | EMS structures, equipment design, generated by the next regular inspection | al maintenance or sanitation n or as stated. | | Initial |
| | | operational controls, facilities or s s). These items are to be correct | EMS structures, equipment design, gener sted by the next regular inspection | al maintenance or sanitation n or as stated. | | Initial |
| | | operational controls, facilities or s s). These items are to be correct | EMS structures, equipment design, generated by the next regular inspection | al maintenance or sanitation n or as stated. | | Initial |
| | | operational controls, facilities or s s). These items are to be correct | EMS structures, equipment design, generated by the next regular inspection | al maintenance or sanitation n or as stated. | | Initial |
| | | operational controls, facilities or s s). These items are to be correct | EMS structures, equipment design, generated by the next regular inspection | al maintenance or sanitation n or as stated. | | Initial |
| | | operational controls, facilities or s s). These items are to be correct | EMS structures, equipment design, generated by the next regular inspection | al maintenance or sanitation n or as stated. | | Initial |
| | | operational controls, facilities or s s). These items are to be correct | EMS structures, equipment design, generated by the next regular inspection | al maintenance or sanitation n or as stated. | | Initial |
| | | operational controls, facilities or s s). These items are to be correct | EMS structures, equipment design, generated by the next regular inspection | al maintenance or sanitation n or as stated. | | Initial |
| | | operational controls, facilities or s s). These items are to be correct aspection. | structures, equipment design, generated by the next regular inspection | al maintenance or sanitation n or as stated. | | Initial |
| | | poperational controls, facilities or s s). These items are to be correct aspection. EDUCATION PROV | tructures, equipment design, generated by the next regular inspection | al maintenance or sanitation n or as stated. | | Initial |
| | | poperational controls, facilities or s s). These items are to be correct aspection. EDUCATION PROV | structures, equipment design, generated by the next regular inspection | al maintenance or sanitation n or as stated. | | Initial |
| Reference | No items noted at time of in | poperational controls, facilities or s s). These items are to be correct aspection. EDUCATION PROV | tructures, equipment design, generated by the next regular inspection | | (date) | Initial |
| Reference Person in Ci | | education Proper temps | Introduces, equipment design, generated by the next regular inspection of the second o | Date: 10 Jun 2 | (date) | |
| Reference | No items noted at time of in | poperational controls, facilities or s s). These items are to be correct aspection. EDUCATION PROV | VIDED OR COMMENTS pratures discussed. | | (date) | Initial Initia Initial Initial Initial Initial Initial Initial Initial Initial |