

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 12:55	TIME OUT 13:40	
PAGE 1 of	2	

WITH ANY TIME	LIMITS	FOR CORRE	Y, THE ITEMS NOTE JCH SHORTER PERI CTIONS SPECIFIED	IN THIS NOTICE	MAY BE	SPEC	IEIEDI	N M/RIT	TING BY T	HE DE	FACILITIES WHICH MUST BE CORRECT SULATORY AUTHORITY, FAILURE TO OD OPERATIONS.	TED B'	YTHE
Leopold General Store ADDRESS: 16730 Main St.				ren Cowell					PERSON IN CHARGE:	PERSON IN CHARGE:			
ADDRESS: 1	6730	Main S	t.								COUNTY: Bollinger		
CITY/ZIP: Leopold 63760 PHONE: 573-238-2			2189	189 FAX: P.H. PRIORIT				м	L				
□ BAKERY □ C. STORE □ CATERER □ DEL □ RESTAURANT ■ SCHOOL □ SENIOR CENTER □ SUM			ELI MMER F	P.		ROCE	RY STOR		☐ INSTITUTION ☐ MOBILE VE	NDOR	S		
PURPOSE Pre-opening Routine Follow-up Complaint				☐ Othe									
	FROZEN DESSERT Approved Disapproved PUBLIC PRIVATE SEWAGE DISPOSAL WATER SUPPLY COMMUNITY NON-COMMUNITY PRIVATE Data Sampled Results												
License No. N/A Date Sampled Results Results RISK FACTORS AND INTERVENTIONS													
Risk factors are	food p	reparation prac	ctices and employee		and the same of the same	Children Co.	A STATE OF THE PARTY OF	WORK CITE	And the second	ease Co	entrol and Prevention as contributing factor	s in	
foodborne illness	Risk factors are food preparation practices and employee behaviors most commonly reported to the Centers for Disease Control and Prevention as contributing factors in foodborne illness outbreaks. Public health interventions are control measures to prevent foodborne illness or injury. Compliance Demonstration of Knowledge COS R Compliance Potentially Hazardous Foods COS R												
10.000	UT	Person in cha	arge present, demons		000				N/O N/A	Prope	r cooking, time and temperature		
		and performs	Employee Healt	n				W005-10	N/O N	Proper	r reheating procedures for hot holding		
■ OI			awareness; policy pr						N/O N/A		r cooling time and temperatures r hot holding temperatures		
	01		Good Hygienic Prac	tices	9		IN C	OUT	N/A	Prope	r cold holding temperatures		
IN OUT	NED		, tasting, drinking or to from eyes, nose and				10000	comment 7	N/O N/A		r date marking and disposition as a public health control (procedures /		-
IN OUT	NED			20000231002			IN C	N TUC	N/O N	record	s)		
■ OUT	OUT N/O Hands clean and properly washed			50		IN	OUT	- NIIIA		Consumer Advisory mer advisory provided for raw or			
OUT	N/O		d contact with ready-to					444		underd	Highly Susceptible Populations		
■ OI	JT	Adequate ha	ernate method proper ndwashing facilities s					OUT N	N/O N/A	Paster	urized foods used, prohibited foods not		
		accessible	Approved Source	e				St. law			Chemical		
■ OL	Transaction 1		ed from approved souled at proper temperate			-	IN	OUT	CHOMINSTO 1		additives: approved and properly used substances properly identified, stored and	-	
NEW CENTY WITH	N/A	Sometime of the Control of the Contr		anes					OUT	used			
IN OUT N/O	Vancillo I		condition, safe and usords available: shells			+	IN	OUT	r NEA	Comp	onformance with Approved Procedures liance with approved Specialized Process		
114 001 14/0	,	destruction	rotection from Contar	nination			-	001		and H	ACCP plan		
OUT	N/A		ted and protected						the left of	each it	em indicates that item's status at the time	of the	
OUT	N/A	Food-contact	t surfaces cleaned &	sanitized				inspection. IN = in compliance OUT = not in compliance					
IN OUT	NED		sition of returned, pre	viously served,			N	A = no	t applicabl	е	N/O = not observed		
			d, and unsafe food	G	OOD RE	TAIL	PRACT	ICES	VENEZO.	285		a share	VE AIR
- Louis I				tive measures to c					nogens, ch	emicals.	and physical objects into foods.	cos	R
IN OUT	Paster		afe Food and Water ed where required		cos	R	IN X	OUT	In-use u	tensils:	Proper Use of Utensils properly stored		^1
X			approved source				×		Utensils		nent and linens: properly stored, dried,		
		Food	d Temperature Contro	l e			×		Single-u	se/singl	e-service articles: properly stored, used		
×		ate equipment	t for temperature cont				×		Gloves	used pro	operly ssils, Equipment and Vending		
X		ved thawing mometers provide	ded and accurate				×			d nonfo	od-contact surfaces cleanable, properly		
×			Food Identification				×		designe Warewa	d, const	ructed, and used acilities: installed, maintained, used; test		
	Food		d; original container				×		strips us	strips used Nonfood-contact surfaces clean			
X		Preventi	on of Food Contamin						Physical Facilities				
X	Insect	s, rodents, and	d animals not present ented during food pre	paration storage			×				ater available; adequate pressure led; proper backflow devices		
×	and di	splay											
×	finger	nails and jewel	s; clean outer clothing lry	, hair restraint,			×				stewater properly disposed		
×	Wiping	g cloths: prope	erly used and stored es washed before use				×		Toilet fa	cilities:	properly constructed, supplied, cleaned properly disposed; facilities maintained		
							×		Physica	I facilitie	s installed, maintained, and clean		
Person in Charge /Title: Lisa Cowell Date: 17 June 2025													
Inspector:	1	. 1	0	Tele	phone N	lo.			EPHS N	0.	Follow-up: Yes	V	No
MO 580-1814 (9-13)	Ter	n S.	Carre	573	-238-2				1753 GANARY - F	ILE COPY	Follow-up Date:		E6.37



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 12	:55	TIME OUT 13:40
PAGE	of	2

FOTAD: 10	T. 11115						
Leopold General Store		16730 Main S	St.	Leopold 63760			
FOOD PRODUCT/LOCATION		TEMP, in ° F	FOOD PRODUCT/				
	Double Refrigerator	40				- 1	
Vi.	Lunch Meat display cooler	39					
	ouble Refrigerator with milk	37					
	Beef just of the grill	158					
	Doer just of the grill	108					
Code		PPIO	RITY ITEMS		Correct by	Initial	
Reference	Priority items contribute directly to the elin or injury. These items MUST RECEIVE I	mination, prevention or re	eduction to an acceptable level, hazards as	ssociated with foodborne illness	Correct by (date)	Initial	
			thin 72 hours or as stated.			- Com 2	
	No Core or Priority items note	ed.					
					Comment has	laitial	
Code Reference	Core items relate to general sanitation or	CO	RE ITEMS les or structures, equipment design, gene	ral maintenance or sanitation	Correct by (date)	Initial	
Code Reference	Core items relate to general sanitation, or standard operating procedures (SSOPs).	perational controls, faciliti These items are to be	ies or structures, equipment design, gener corrected by the next regular inspection			Initial	
	Core items relate to general sanitation, or standard operating procedures (SSOPs). Materials of floors/walls/ceilin	perational controls, faciliti These items are to be	ies or structures, equipment design, gener corrected by the next regular inspection			Initial	
Reference		perational controls, faciliti These items are to be gs shall be smoot	ies or structures, equipment design, gener corrected by the next regular inspection			Initial	
Reference 6-101.11 6-501.19	Materials of floors/walls/ceilin Restroom doors KEPT closed	perational controls, faciliti These items are to be igs shall be smooth.	ies or structures, equipment design, gener corrected by the next regular inspection			Initial	
6-101.11	Materials of floors/walls/ceilin	perational controls, faciliti These items are to be igs shall be smooth.	ies or structures, equipment design, gener corrected by the next regular inspection			Initial	
Reference 6-101.11 6-501.19	Materials of floors/walls/ceilin Restroom doors KEPT closed	perational controls, faciliti These items are to be igs shall be smooth.	ies or structures, equipment design, gener corrected by the next regular inspection			Initial	
Reference 6-101.11 6-501.19	Materials of floors/walls/ceilin Restroom doors KEPT closed	perational controls, faciliti These items are to be igs shall be smooth.	ies or structures, equipment design, gener corrected by the next regular inspection			Initial	
Reference 6-101.11 6-501.19	Materials of floors/walls/ceilin Restroom doors KEPT closed	perational controls, faciliti These items are to be igs shall be smooth.	ies or structures, equipment design, gener corrected by the next regular inspection			Initial	
Reference 6-101.11 6-501.19	Materials of floors/walls/ceilin Restroom doors KEPT closed	perational controls, faciliti These items are to be igs shall be smooth.	ies or structures, equipment design, gener corrected by the next regular inspection			Initial	
Reference 6-101.11 6-501.19	Materials of floors/walls/ceilin Restroom doors KEPT closed	perational controls, faciliti These items are to be igs shall be smooth.	ies or structures, equipment design, gener corrected by the next regular inspection			Initial	
Reference 6-101.11 6-501.19	Materials of floors/walls/ceilin Restroom doors KEPT closed	perational controls, faciliti These items are to be igs shall be smooth.	ies or structures, equipment design, gener corrected by the next regular inspection			Initial	
Reference 6-101.11 6-501.19	Materials of floors/walls/ceilin Restroom doors KEPT closed	perational controls, faciliti These items are to be igs shall be smooth.	ies or structures, equipment design, gener corrected by the next regular inspection			Initial	
Reference 6-101.11 6-501.19	Materials of floors/walls/ceilin Restroom doors KEPT closed	perational controls, faciliti These items are to be igs shall be smooth.	ies or structures, equipment design, gener corrected by the next regular inspection			Initial	
Reference 6-101.11 6-501.19	Materials of floors/walls/ceilin Restroom doors KEPT closed	perational controls, faciliti These items are to be igs shall be smooth.	ies or structures, equipment design, gener corrected by the next regular inspection			Initial	
Reference 6-101.11 6-501.19	Materials of floors/walls/ceilin Restroom doors KEPT closed	perational controls, faciliti These items are to be igs shall be smooth.	ies or structures, equipment design, gener corrected by the next regular inspection			Initial	
Reference 6-101.11 6-501.19	Materials of floors/walls/ceilin Restroom doors KEPT closed	perational controls, faciliti These items are to be igs shall be smooth.	ies or structures, equipment design, gener corrected by the next regular inspection			Initial	
Reference 6-101.11 6-501.19	Materials of floors/walls/ceilin Restroom doors KEPT closed	perational controls, faciliti These items are to be igs shall be smooth.	ies or structures, equipment design, gener corrected by the next regular inspection			Initial	
Reference 6-101.11 6-501.19	Materials of floors/walls/ceilin Restroom doors KEPT closed	perational controls, faciliti These items are to be igs shall be smooth.	ies or structures, equipment design, gener corrected by the next regular inspection			Initial	
Reference 6-101.11 6-501.19	Materials of floors/walls/ceilin Restroom doors KEPT closed	perational controls, faciliti These items are to be ags shall be smooth d. in good repair.	ies or structures, equipment design, gene corrected by the next regular inspection th/durable/easily cleanable. F			Initial	
Reference 6-101.11 6-501.19	Materials of floors/walls/ceilin Restroom doors KEPT closed	perational controls, faciliti These items are to be ags shall be smooth d. in good repair.	ies or structures, equipment design, gener corrected by the next regular inspection			Initial	
Reference 6-101.11 6-501.19	Materials of floors/walls/ceilin Restroom doors KEPT closed	perational controls, faciliti These items are to be ags shall be smooth d. in good repair.	ies or structures, equipment design, gene corrected by the next regular inspection th/durable/easily cleanable. F			Initial	
Reference 6-101.11 6-501.19 5-205.15	Materials of floors/walls/ceilin Restroom doors KEPT closed Plumbing system maintained	perational controls, faciliti These items are to be ags shall be smooth d. in good repair.	ies or structures, equipment design, gene corrected by the next regular inspection th/durable/easily cleanable. F			Initial	
Reference 6-101.11 6-501.19 5-205.15	Materials of floors/walls/ceilin Restroom doors KEPT closed Plumbing system maintained	perational controls, faciliti These items are to be ags shall be smooth d. in good repair.	ies or structures, equipment design, gene corrected by the next regular inspection th/durable/easily cleanable. F	looring in kitchen area.	(date)	Initial	
Reference 6-101.11 6-501.19 5-205.15	Materials of floors/walls/ceilin Restroom doors KEPT closed	perational controls, faciliti These items are to be ags shall be smooth d. in good repair. EDUCATION I	ies or structures, equipment design, gene corrected by the next regular inspection th/durable/easily cleanable. F	Date: 17 June	2025		
Reference 6-101.11 6-501.19 5-205.15	Materials of floors/walls/ceilin Restroom doors KEPT closed Plumbing system maintained	perational controls, faciliti These items are to be ags shall be smooth d. in good repair. EDUCATION I	provided or comments PROVIDED OR COMMENTS PROVIDED OR COMMENTS	Date: 17 June	2025	Initial	
Reference 6-101.11 6-501.19 5-205.15 Person in Cl	Materials of floors/walls/ceilin Restroom doors KEPT closed Plumbing system maintained harge /Title: Lisa Cowell	perational controls, faciliti These items are to be ags shall be smooth d. in good repair. EDUCATION I	PROVIDED OR COMMENTS Done No. EPHS No. 1753	Date: 17 June	2025		