

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 10:32			TIME OUT 11:01
PAGE	1	of	2

INEXT ROUTINE	: IN25FE	JUON, OR SU	ICH SHORTER PERI	OD OF TIME A	IS MAY P	F SPFC	IFIED	IN WRI	TING RY T	HE REC	FACILITIES WHICH MUST BE CORRI GUILATORY AUTHORITY. FAILURE TO DE CREET TO SEC.	CTED B	Y THE LY
WITH ANY TIME LIMITS FOR CORRECTIONS SPECIFIED IN THIS NOTICE ESTABLISHMENT NAME: Leopold School ADDRESS: 16787 Main St./P.O. Box39			96 19 10					PERSON IN CHARGE: Emily Brown	PERSON IN CHARGE: Emily Brown				
ADDRESS: ,	16787	Main S	t./P.O. Box3	9							COUNTY: Bollinger	COUNTY: Bollinger	
Le Le	eopol	d 63760		PHONE: 573-23	ONE: '3-238-2211 FAX:			P.H. PRIORITY : H	м] [
ESTABLISHMEN BAKERY RESTAU	TTYPE	C. STOR	RE CATERER	П	DELI SUMMER	0.000		GROCE AVERN	RY STOR		☐ INSTITUTION ☐ MOBILE ☐ TEMP.FOOD	VENDOF	₹\$
PURPOSE Pre-open	ing	Routine	☐ Follow-up	☐ Complaint					·-				3872
FROZEN DE Approved	☐ Dis		SEWAGE DISPO	SAL PRIVA	ATE			UPPL' IUNIT	6		COMMUNITY PRIVAT	E DNR	
Diek festere e	. f 1 .	*			FACTOR								
todddorne iline	re tood p ss outbre	eaks. Public h	ealth interventions a	are control mea	isures to	prevent f	oodbor	ne illne	ss or injury	ease Co '.	ontrol and Prevention as contributing fac	tors in	
Compliance	OUT	Person in ch	Demonstration of Kno arge present, demons			OS R	1-	mpliance	N/O N/A	Prope	Potentially Hazardous Foods or cooking, time and temperature	, cc	OS R
		and performs	Employee Healt				IN	OUT	NID N/A		r reheating procedures for hot holding		
	DUT DUT	Management Proper use o	t awareness; policy professional freporting, restriction	and exclusion					N/O N/A	Prope	r cooling time and temperatures or hot holding temperatures	_ -	
IN OUT	NED.	Proper eating	Good Hyglenic Prac , tasting, drinking or	tobacco use	.1		IN	OUT	T N/A N/O N/A		er cold holding temperatures or date marking and disposition		
IN OUT	NED		from eyes, nose and				IN	OUT	N/O N	Time a	as a public health control (procedures /		
■ OUT	N/O		enting Contamination and properly washed					OUT	T N/A	Const	Consumer Advisory umer advisory provided for raw or		
TUO T	N/O	No bare hand	contact with ready-t	o-eat foods or	-		╅		1 11//2	under	cooked food Highly Susceptible Populations	-	-
	DUT	Adequate ha	ernate method proper ndwashing facilities s	ly followed upplied &	*		OUT N/O N/A Pasteurized foods used, prohibited foods not			_	_		
		accessible	Approved Source					-	1110 1111	offere	Chemical	-	
Table 1 Table 1 Table 1	DUT N/A		d from approved sould at proper temperatu			0 0 0 0	IN	OUT I Food additives: approved and properly used			nd	1	
0	UT		condition, safe and t		224		-		OUT	used	onformance with Approved Procedures		_
IN OUT N/C	Ami C	destruction	ords available: shells	7,975 W. (1000) - 310 to 1 00 to 100	site		IN	OU"	ı, May		liance with approved Specialized Proce ACCP plan	ss	
OUT	N/A		rotection from Contar ted and protected	nination			The	letter to	o the left of	each il	em indicates that item's status at the tin	e of the	10.
OUT	N/A		surfaces cleaned &	sanitized		-	The letter to the left of each item indicates that item's status at the time of the inspection. IN = in compliance OUT = not in compliance						
IN OUT		Proper dispo	sition of returned, pre d, and unsafe food	viously served			N/A = not applicable N/O = not observed						
		<u></u>			GOOD.	RETAIL	PRACT	ICES					
IN OUT		Sa	ife Food and Water	ive measures	COS		IN	of path	logens, ch	emicals,	, and physical objects into foods. Proper Use of Utensils	cos	R
×			ed where required pproved source				×				properly stored		
×	Traici		7 N				×		handled		nent and linens: properly stored, dried,		
×	Adeau	Food	Temperature Contro for temperature cont	i .			X		Single-u	se/sing!	e-service articles: properly stored, used	-	
×	Appro	ed thawing m	ethods used	101		×	×		Gloves u		pperly Islis, Equipment and Vending	-	-
×	Therm	ometers provid	ded and accurate			100	×		Food an	d nonfo	od-contact surfaces cleanable, properly	1	+
	. IS	F	ood Identification		- 277	1 72	×	- 10	Warewa	designed, constructed, and used Warewashing facilities: installed, maintained, used; test		+	┼
×	Food	properly labele	d; original container				×			strips used Nonfood-contact surfaces clean			-
×	Insect	Prevention	on of Food Contamina animals not present	ation			×	1/000	F1=4 = = =1		Physical Facilities	4	
×	Conta	mination preve	nted during food prep	aration, storag	e		×		Plumbin	cola wa g install	iter available; adequate pressure ed; proper backflow devices	+	+-
×	Person	nal cleanliness	: clean outer clothing,	hair restraint,			×		Sewage and wastewater properly disposed			 -	
×		ails and jewelr	y fly used and stored			-	×		Tollet facilities: properly constructed, supplied, cleaned				
×	Fruits	and vegetables	s washed before use	10			×		Garbage	refuse	properly constructed, supplied, cleaned properly disposed; facilities maintained	+-	+
Person in Ch	arge (T	tle.					X				s installed, maintained, and clean		
Person in Ch	ange / I	Emily	Brown	<u> </u>	7						Date: 20 Nov 25		
Inspector:	em	S. 1	Loger	Te	elephone 73-238	No. 2817		Τ.	EPHS No 1753	р.	Follow-up: Yes Follow-up Date:	V	No
MO 580-1814 (9-13)				DISTRIBUTION: W	HITE - OWN	ER'S COPY	1		CANARY - FI	LE COPY			E6.37



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT.

TIME IN 1	0:32	TIME OUT 11:01
PAGE	of	2

Leopold		ADDRESS 16787 Main S	t/P O Boy39	Leopold 63760		
FOOD PRODUCT/LOCATION		TEMP. in ° F	FOOD PRODUCT/		TEMP. ir	, ° E
	ulcan Hot Holding (Beans)	130			I FIAIL ' II	1 1
	ulcan Hot Holding (Chicken)	119			<u> </u>	37_70
	old Holding refrigerator (air)	43		2 00000	·-	
381.5-0	Meat	45			 -	
	Salad	46				
Code Reference	Priority items contribute directly to the ell or injury. These items MUST RECEIVE	PRIO	RITY ITEMS duction to an acceptable level, hazards a	associated with foodborne illness	Correct by (date)	Initial
4-302.14	Sanitizing Test Strips REQU		ann 72 nours or as stated.	· · · · · · · · · · · · · · · · · · ·		
3-501.16	HOT holding food temperatu		(Repeat violation)			
3-501.16	COLD holding food temperat	ures 41 or below.	(Repeat violation)			•
<u>272</u> 0						
***		W 40	S	20 20 20 20 20 20 20 20 20 20 20 20 20 2		
					_	
		<u> </u>				
-			988			
		·		902c		
,		2220		-		
						-
		9				
				-		
					50 50	3-1
			<u>.</u>			
Ondo :						
Code Reference	Core items relate to general sanitation, o standard operating procedures (SSOPs)	perational controls, faciliti These items are to be	RE ITEMS es or structures, equipment design, gene corrected by the next regular inspecti	ral maintenance or sanitation on or as stated.	Correct by (date)	Initial
	Core items relate to general sanitation, c standard operating procedures (SSOPs) No CORE item violations at t	perational controls, faciliti These items are to be	RE ITEMS es or structures, equipment design, gene corrected by the next regular inspecti	eral maintenance or sanitation on or as stated.		Initial
	Core items relate to general sanitation, o standard operating procedures (SSOPs) No CORE item violations at t	perational controls, faciliti These items are to be	RE ITEMS es or structures, equipment design, gene corrected by the next regular inspecti	eral maintenance or sanitation on or as stated.		Initial
	Core items relate to general sanitation, c standard operating procedures (SSOPs) No CORE item violations at t	perational controls, faciliti These items are to be	RE ITEMS es or structures, equipment design, gene corrected by the next regular inspecti	eral maintenance or sanitation on or as stated.		Initial
	Core items relate to general sanitation, o standard operating procedures (SSOPs) No CORE item violations at t	perational controls, faciliti These items are to be	RE ITEMS es or structures, equipment design, gene corrected by the next regular inspecti	eral maintenance or sanitation on or as stated.		Inițial
	Core items relate to general sanitation, c standard operating procedures (SSOPs) No CORE item violations at t	perational controls, faciliti These items are to be	RE ITEMS es or structures, equipment design, gene corrected by the next regular inspecti	eral maintenance or sanitation on.or as stated.		Initiâl
	Core items relate to general sanitation, c standard operating procedures (SSOPs) No CORE item violations at t	perational controls, faciliti These items are to be	RE ITEMS es or structures, equipment design, gene corrected by the next regular inspecti	eral maintenance or sanitation on.or as stated.		Initial
	Core items relate to general sanitation, c standard operating procedures (SSOPs) No CORE item violations at t	perational controls, faciliti These items are to be	RE ITEMS es or structures, equipment design, gene corrected by the next regular inspecti	eral maintenance or sanitation on or as stated.		Initiál
	Core items relate to general sanitation, c standard operating procedures (SSOPs) No CORE item violations at t	perational controls, faciliti These items are to be	RE ITEMS es or structures, equipment design, gene corrected by the next regular inspecti	ral maintenance or sanitation on.or as stated.		Initiāl
	Core items relate to general sanitation, c standard operating procedures (SSOPs) No CORE item violations at t	perational controls, faciliti These items are to be	RE ITEMS es or structures, equipment design, gene corrected by the next regular inspecti	ral maintenance or sanitation on or as stated.		Initial
	Core items relate to general sanitation, c standard operating procedures (SSOPs) No CORE item violations at t	perational controls, faciliti These items are to be	RE ITEMS es or structures, equipment design, gene corrected by the next regular inspecti	oral maintenance or sanitation on or as stated.		Initial
	Core items relate to general sanitation, c standard operating procedures (SSOPs) No CORE item violations at t	perational controls, faciliti These items are to be	RE ITEMS es or structures, equipment design, gene corrected by the next regular inspecti	ral maintenance or sanitation on or as stated.		Initial
	Core items relate to general sanitation, c standard operating procedures (SSOPs) No CORE item violations at t	perational controls, faciliti These items are to be	RE ITEMS es or structures, equipment design, gene corrected by the next regular inspecti	eral maintenance or sanitation on or as stated.		Initial
	Core items relate to general sanitation, c standard operating procedures (SSOPs) No CORE item violations at t	perational controls, faciliti These items are to be	RE ITEMS es or structures, equipment design, gene corrected by the next regular inspecti			Initial
	Core items relate to general sanitation, c standard operating procedures (SSOPs) No CORE item violations at t	perational controls, faciliti These items are to be	RE ITEMS es or structures, equipment design, gene corrected by the next regular inspecti			Initial
	Core items relate to general sanitation, c standard operating procedures (SSOPs) No CORE item violations at t	perational controls, faciliti These items are to be	RE ITEMS es or structures, equipment design, gene corrected by the next regular inspecti			Initial
	Core items relate to general sanitation, c standard operating procedures (SSOPs) No CORE item violations at t	perational controls, faciliti. These items are to be dime of inspection.	es or structures, equipment design, gene corrected by the next regular inspecti			Initial
Reference	No CORE item violations at t	perational controls, faciliti These items are to be a sime of inspection.	RE ITEMS es or structures, equipment design, gene corrected by the next regular inspecti PROVIDED OR COMMENTS PROVIDED OR COMMENTS			Initial
Reference	No CORE item violations at t	perational controls, faciliti These items are to be a sime of inspection.	es or structures, equipment design, gene corrected by the next regular inspecti			Initial
Reference	No CORE item violations at t	perational controls, faciliti These items are to be a sime of inspection.	es or structures, equipment design, gene corrected by the next regular inspecti	d temperatures.	(date)	Initial
Person in Ch	No CORE item violations at t	EDUCATION P an unit is NOT holding proper tempo	es or structures, equipment design, genecorrected by the next regular inspection of the second secon	od temperatures. Date: 20 Nov 2	(date)	
Reference	Hot holding Vulc	perational controls, faciliti These items are to be a sime of inspection.	es or structures, equipment design, genecorrected by the next regular inspection of the next	d temperatures.	(date)	Initial