

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 10:16	TIME OUT 10:51
PAGE 1 of	2

BASED ON AN IN	ISPEC	TION THIS DA	Y THE ITEMS NOT	ED BELOWIDE	TIEV NO	NICOL	ADI IAN	CE IN	DEDAT	ONIC CO	FACILITIES WILLIAM	05.00		
WITH ANY TIME	LIMITS	FOR CORRE	JCH SHORTER PER CTIONS SPECIFIED	O IN THIS NOTICE	MAYRE	SPEC	TELED	IN MADE	TIME BY	THE DE		AILURE TO C	OMPL	Y THE Y
Woodland	1 R-4	High S	chool	OWNER: District							Sandy Linco	In		
ADDRESS: 2	0762	2 State H	lighway 34								COUNTY: Bollin	ger		
CITY/ZIP: Marble Hill, 63764 PHONE: 573-238-			2663 FAX:						P.H. PRIORITY : H M L					
BAKERY RESTAUR	or or other	C. STOR			ELI UMMER			GROCE	RY STOR	RE	☐ INSTITUTION ☐ TEMP.FOOD	MOBILE VE	NDOR	IS
PURPOSE Pre-openin		Routine	Name (Application)	☐ Complaint	Oti		<u>.</u>	AVERI	•		L TEMP.FOOD			
FROZEN DES			SEWAGE DISP	OSAL PRIVAT	_			UPPLY		NON	COMMUNITY	DD0/475		
License No. N/		эрргочес	LI POBLIC	PRIVAL		П	COIVIN	'TINUI	т Ц		COMMUNITY Sampled	PRIVATE Results D	NR	
	Will to			RISK FA	CTORS	AND	INTE	RVENT	TIONS				NE VO	
Risk factors are	food p	reparation pra	ctices and employee	behaviors most o	ommonly	report	ted to th	ne Cent	ers for Dis	ease C	ontrol and Prevention as control	ributing factors	s in	
Compliance	Journa		Demonstration of Kno		COS			mpliance			Potentially Hazardous Fo	ods	CO	SR
■ 0	UT	Person in cha	arge present, demor	strates knowledge).			OUT N/O N/A Proper cooking, time and temperature			ure			
			Employee Hea	th	0.6		IN (TUC	N/A	Prope	er reheating procedures for ho	ot holding		
01			t awareness; policy policy of reporting, restriction				_		N/O N/A		er cooling time and temperature er hot holding temperatures	res	-	
	71	Proper use o	Good Hygienic Pra		100			001			er cold holding temperatures			
IN OUT	NED		g, tasting, drinking or						N/O N/A	Prope	er date marking and disposition	n		
IN OUT	NED		from eyes, nose an				IN (DUT I	N/O N	record		cedures /		
- OUT	N/O		venting Contamination and properly washe			-	100	OUT	- 1888	Consi	Consumer Advisory umer advisory provided for ray	w or		
No hard band centert with ready to get foods or				-	IN	undercooked f			cooked food Highly Susceptible Popula	tions				
OUT	N/O	approved alte	ernate method prope	rly followed	_	4	20000	Pacteurized foods used, prohibited foods not						
I 01	JT	accessible	Approved Sour	AND MER AND THE RESERVE		-	IN (OUT I	N/A	offere		TOOGS HOL		
OL OL	JT	Food obtaine	ed from approved so				IN	OUT	r NA	Food	additives: approved and prope	erly used		
IN OUT NED	N/A	Food receive	ed at proper tempera	ture				1	OUT	Toxic used	substances properly identified	d, stored and		
■ OU	IT	Food in good	d condition, safe and	unadulterated						C	onformance with Approved Pr			
IN OUT N/O	A A	Required recidestruction	cords available: shell	stock tags, parasit	е		IN	OUT	T NEA		pliance with approved Speciali HACCP plan	zed Process		
			rotection from Conta	mination	-				· · · · · · · · · · · · · · · · · · ·				***	
OUT	N/A	Food separa	ted and protected				The letter to the left of each item indicates that item's status at the time of the inspection.					of the		
■ OUT	N/A	The second second	t surfaces cleaned &	ASSESSED AND THE REAL PROPERTY.			IN = in compliance N/A = not applicable OUT = not in compliance N/O = not observed							
IN OUT	N		sition of returned, pr d, and unsafe food	eviously served,			IN IN	/A - 110	т арріісав	ie	N/O = not observed			
	NOTE BE				GOOD R				(Katigara					
IN OUT				ative measures to	control th	e intro	duction	of path	nogens, ch	emicals	Proper Use of Utensils	ods.	cos	R
×	Paster		afe Food and Water sed where required		000	-	×	001	In-use u	itensils:	properly stored			
×			approved source				×				ment and linens; properly store	ed, dried,		
	29 Hy	Food	d Temperature Contr	ol		-	×		Single-		le-service articles: properly st	ored, used		
×	Adequ		t for temperature cor				X		Gloves	used pr	operly			
		ved thawing m							F		nsils, Equipment and Vending			-
×	Therm	iometers provi	ded and accurate				×		designe	d, cons	ood-contact surfaces cleanable tructed, and used			
			Food Identification				×		Warewa strips us		acilities: installed, maintained,	used; test		
×	Food		ed; original container				×				ct surfaces clean			
×	Insect	THE RESERVE AND ADDRESS OF THE PARTY OF THE	on of Food Contami d animals not presen				×		Hot and	cold w	Physical Facilities ater available; adequate press	sure		+
×	Conta	mination preve	ented during food pre				×				lled; proper backflow devices			
×	and display Personal cleanliness: clean outer clothing, hair restraint,					×		Sewage and wastewater properly disposed						
×	Wipin	nails and jewel g cloths: prope	erly used and stored				×				properly constructed, supplied			
×			es washed before us	Э			X				properly disposed; facilities r			-
Person in Cha	arge /T	itle:					×		Physica	ii raciliti	Date: 16 Maria 200			
Person in Cha	J	Sand	Lincoln								Date: 16 May 202	5		NI
Inspector:	X	m' of	Carne	Tel 57	ephone 3-238-	No. 2817			EPHS N 1753	10.	Follow-up:	Yes	Ø	No
MO 580-1814 (9-13)	1 PC		-	DISTRIBUTION: WH					CANARY - F	FILE COPY				E6.37



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 10:16 TIME OUT 10:51

PAGE 2 of 2

ESTABLISHMEN Woodlar	nd R-4 High School	20762 State High	way 34	Marble Hill, 63764			
FO	OD PRODUCT/LOCATION	TEMP. in ° F	FOOD PRODUCT/				
	Serving Line Mixed Fruit	40					
Serving Line Green Beans		148					
Serving Line Potatoes		146					
5	Salad bar Cottage Cheese	40.5					
Code Reference	Priority items contribute directly to the elicor injury. These Items MUST RECEIVE IN Priority items noted at time		ITEMS on to an acceptable level, hazards a 2 hours or as stated.	associated with foodborne illness	Correct by (date)	Initial	
	No Phonty items noted at tim	e of inspection.					
Code		CORE IT	EMS		Correct by	Initial	
Code Reference	Core items relate to general sanitation, o	CORE IT	EMS structures, equipment design, gene	eral maintenance or sanitation	Correct by (date)	Initial	
Reference	Core items relate to general sanitation, of standard operating procedures (SSOPs). Need test strips for commercial strips for commercial strips.	perational controls, facilities or These items are to be corre	EMS structures, equipment design, gene cted by the next regular inspection	eral maintenance or sanitation on or as stated.		Initial	
Reference	Core items relate to general sanitation, o standard operating procedures (SSOPs). Need test strips for commerce	perational controls, facilities or These items are to be corre	EMS structures, equipment design, gene cted by the next regular inspection	eral maintenance or sanitation on or as stated.		Initial	
Reference		perational controls, facilities or These items are to be corre	EMS structures, equipment design, gene cted by the next regular inspection	eral maintenance or sanitation on or as stated.		Initial	
Reference		perational controls, facilities or These items are to be corre	EMS structures, equipment design, gene cted by the next regular inspection	eral maintenance or sanitation on or as stated.		Initial	
Reference		perational controls, facilities or These items are to be corre	EMS structures, equipment design, gene cted by the next regular inspection	eral maintenance or sanitation on or as stated.		Initial	
Reference		perational controls, facilities or These items are to be corre	EMS structures, equipment design, gene cted by the next regular inspection	eral maintenance or sanitation on or as stated.		Initial	
Reference		perational controls, facilities or These items are to be corre	EMS structures, equipment design, gene cted by the next regular inspection	eral maintenance or sanitation on or as stated.		Initial	
Reference		perational controls, facilities or These items are to be corre	EMS structures, equipment design, gene cted by the next regular inspection	eral maintenance or sanitation on or as stated.		Initial	
Reference		perational controls, facilities or These items are to be corre	EMS structures, equipment design, gene cted by the next regular inspection	eral maintenance or sanitation on or as stated.		Initial	
Reference		perational controls, facilities or These items are to be corre	EMS structures, equipment design, gene cted by the next regular inspection	eral maintenance or sanitation on or as stated.		Initial	
Reference		perational controls, facilities or These items are to be corre	EMS structures, equipment design, gene cted by the next regular inspection	eral maintenance or sanitation on or as stated.		Initial	
Reference		perational controls, facilities or These items are to be corre	EMS structures, equipment design, gene cted by the next regular inspection	eral maintenance or sanitation on or as stated.		Initial	
Reference		perational controls, facilities or These items are to be corre	EMS structures, equipment design, gene cted by the next regular inspection	eral maintenance or sanitation on or as stated.		Initial	
Reference		perational controls, facilities or These items are to be corre	EMS structures, equipment design, gene cted by the next regular inspection	eral maintenance or sanitation on or as stated.		Initial	
Reference		perational controls, facilities or These items are to be corre	EMS structures, equipment design, gene ted by the next regular inspection	eral maintenance or sanitation on or as stated.		Initial	
Reference		perational controls, facilities or These items are to be correcal dishwasher.	structures, equipment design, gene cted by the next regular inspection	eral maintenance or sanitation on or as stated.		Initial	
Reference		perational controls, facilities or These items are to be correcal dishwasher.	Structures, equipment design, gene cted by the next regular inspection	eral maintenance or sanitation on or as stated.		Initial	
Reference		perational controls, facilities or These items are to be correcal dishwasher.	structures, equipment design, gene cted by the next regular inspection	eral maintenance or sanitation on or as stated.		Initial	
Reference 4-302.14	Need test strips for commeric	perational controls, facilities or These items are to be correcal dishwasher.	structures, equipment design, gene cted by the next regular inspection		(date)	Initial	
Reference 4-302.14 Person in C		perational controls, facilities or These items are to be corrected dishwasher. EDUCATION PROVE	IDED OR COMMENTS	Date: 16 May 2	(date)		
Reference 4-302.14	Need test strips for commeric	perational controls, facilities or These items are to be correcal dishwasher.	VIDED OR COMMENTS		(date)	Initial	