

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 09:50	TIME OUT 10:36
PAGE 1 of	2

NEXT ROUTINE	INSPEC	CTION, OR SU	Y, THE ITEMS NOTE CH SHORTER PERI CTIONS SPECIFIED	OD OF TIME AS	MAY BE	SPEC	IFIED I	IN WR	TING BY T	HE REC	FACILITIES WHICH MUST BE BULATORY AUTHORITY. FAIL DO OPERATIONS.	LURE TO CO	DMPLY	THE
Woodlan	d R-4	IAME: 1 High So	chool	OWNER: District							Mindy McClar	ahan		
ADDRESS: 2	20762	State H	wy 34								COUNTY: Bolling	er		
CITY/ZIP: M	arble	Hill 637	64	PHONE: 573-238-	2663		FAX	:			P.H. PRIORITY :	н	4	L
BAKERY RESTAU		C. STOR						GROC	ERY STOR	E [☐ INSTITUTION ☐ I	MOBILE VEN	NDORS	
PURPOSE Pre-openi	ing	Routine	☐ Follow-up	Complaint	☐ Ot	her								
FROZEN DESSERT Approved Disapproved PUBLIC PRIVATE COMMUNITY NON-COMMUNITY PRIVATE Date Sampled Results DNR														
License No	9/4/10			RISK FA	CTORS	SAND	INTE	RVEN	ITIONS	7.55		STREET, STREET		Attes
Risk factors a	re food p	reparation prac	ctices and employee	behaviors most co	ommonly	report	ed to t	he Cen	ters for Dis	ease Co	ontrol and Prevention as contrib	uting factors	in	Mark Street
foodborne illne: Compliance	ss outbre		ealth interventions		res to pr			rne illne			Potentially Hazardous Food	ie .	cos	T R
	DUT		arge present, demon		10000				N/O N/A	Prope	r cooking, time and temperature		000	15
	VII.		Employee Healt						N/O N/A		r reheating procedures for hot			
	DUT		awareness; policy p		+		_		N/O N/A		r cooling time and temperatures r hot holding temperatures	3		-
			Good Hygienic Prac	ctices	100		IN	q.	T N/A	Prope	r cold holding temperatures			
OUT	N/O	Proper eating	tasting, drinking or from eyes, nose and	tobacco use	_	-		OUT	N/O N/A		r date marking and disposition as a public health control (proce	educan I		
IN OUT	MID		and the second of the second of the second				IN	OUT	NED N/A	record		dures /		
_			enting Contamination and properly washed							0	Consumer Advisory	MAN COLOR		
OUT	N/O		(f 1/ f)				IN	OU	T NEE		mer advisory provided for raw cooked food	or		
■ OUT	N/O		contact with ready-								Highly Susceptible Population	ns		
	TUC	Adequate har	ndwashing facilities s					OUT	N/O N/A		urized foods used, prohibited fo	ods not		
	The second	accessible	Approved Source	e			-		NO NA	offered	Chemical			-
0	UT		d from approved sou	rce			IN	OU	A T	Food a	additives: approved and properl	y used		
IN OUT N	N/A	Food received	d at proper temperat	ure			1		OUT		substances properly identified,			
	UT		condition, safe and							Co	onformance with Approved Prod			
IN OUT N/O	A III	destruction	ords available: shells	steems, Functionalismes			IN	OU	A T		liance with approved Specialize ACCP plan	d Process		
-			rotection from Contar	mination				20,000 - 0	. AND BUVEL 6		3 W W C 400 -00 0			
OUT	N/A		ed and protected				The	letter to	to the left of	each ite	em indicates that item's status a	at the time of	the	
OUT	N/A	The second secon	surfaces cleaned &					IN = in	complianc		OUT = not in complian	ce		
IN OUT	N	Proper dispos reconditioned	sition of returned, pre , and unsafe food	viously served,			N	I/A = no	ot applicable	е	N/O = not observed			
				G	OOD R	ETAIL	RACT	TICES						10/10
IN OUT		Good Retail Pr	actices are preventa	tive measures to c					hogens, che		and physical objects into foods			
×	Pasteu		fe Food and Water ed where required		cos	R	IN X	OUT	In-use ut		Proper Use of Utensils properly stored		cos	R
×			pproved source				×		Utensils,		ent and linens; properly stored,	dried,		
		Food	Temperature Contro				×		handled	e o /e in ele	e-service articles: properly store			
×		ate equipment	for temperature cont				x		Gloves	sed pro	perly	ed, used	- 19	
×		red thawing me	ethods used ed and accurate						Jan Chance	Utens	sils, Equipment and Vending			
×	memi	ometers provid	ed and accurate				×				od-contact surfaces cleanable, pucted, and used	properly		
			ood Identification					×		shing fac	cilities: installed, maintained, us	ed; test		
X	Food p	roperly labeled	; original container n of Food Contamina	tion			×				surfaces clean			
×	Insects	, rodents, and	animals not present				×		Hot and	cold wat	Physical Facilities er available; adequate pressure			_
×	Contan and dis	nination prever	nted during food prep				×		Plumbing	installe	ed; proper backflow devices			
×	Person fingern	al cleanliness: ails and jeweln		hair restraint,			×		Sewage	and was	stewater properly disposed			
×			y used and stored				×				roperly constructed, supplied, c			
			washed before use	- 1			X				properly disposed; facilities main installed, maintained, and clear			
Person in Cha	arge /Tit	Mindy	McClanaha	n Kan	1.1	10	1	riò	100		Date: 18 May 2023			
Inspector:	1	while		Teler	hone A	No.	VOV		EPHS No).	Follow-up: 7 Y	es [] No	
MO 580-1814 (9-13)	m			DISTRIBUTION: WHITE	- OWNER	'S COPY			CANARY - FIL	E COBY	Follow-up Date: 25 May	23		



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN OS	9:50	TIME OUT 1	0:36
PAGE	of	2	

Woodlan	d R-4 High School	20762 State Hv	vy 34 CITY/ZIP Marble	Hill 63764		
	OD PRODUCT/LOCATION	TEMP. in ° F	FOOD PRODUCT/ LOCATION		TEMP, in	°F
Se	rving Line Right side cooler	34		38		
S	Serving Line Left side cooler	48				
Carlo		PRIORI	TYITEMS		Correct by	Initial
Code Reference		elimination, prevention or redu E IMMEDIATE ACTION withi	ction to an acceptable level, hazards associated wit n 72 hours or as stated.	th foodborne illness	(date)	
3-501.16	Right Hand side cooler on s	serving line NOT hold	ing required temperature.			SL
						_
					Comment	In Wal
Code Reference	Core items relate to general sanitation, standard operating procedures (SSOP)	operational controls, facilities	TTEMS or structures, equipment design, general maintena	nce or sanitation	Correct by (date)	Initial
	Core items relate to general sanitation, standard operating procedures (SSOP: Gap under outer door.	operational controls, facilities	or structures, equipment design, general maintena	nce or sanitation		Initial
Reference	standard operating procedures (SSOP	operational controls, facilities	or structures, equipment design, general maintena	nce or sanitation ed.		
Reference	standard operating procedures (SSOP	operational controls, facilities	or structures, equipment design, general maintena	nce or sanitation ed.		
Reference	standard operating procedures (SSOP	operational controls, facilities	or structures, equipment design, general maintena	nce or sanitation ed.		
Reference	standard operating procedures (SSOP	operational controls, facilities	or structures, equipment design, general maintena	nce or sanitation ed.		
Reference	standard operating procedures (SSOP	operational controls, facilities	or structures, equipment design, general maintena	nce or sanitation		
Reference	standard operating procedures (SSOP	operational controls, facilities	or structures, equipment design, general maintena	nce or sanitation ed.		
Reference	standard operating procedures (SSOP	operational controls, facilities	or structures, equipment design, general maintena	nce or sanitation ed.		
Reference	standard operating procedures (SSOP	operational controls, facilities	or structures, equipment design, general maintena	nce or sanitation		
Reference	standard operating procedures (SSOP	operational controls, facilities	or structures, equipment design, general maintena	nce or sanitation ed.		
Reference	standard operating procedures (SSOP	operational controls, facilities	or structures, equipment design, general maintena	nce or sanitation ed.		
Reference	standard operating procedures (SSOP	operational controls, facilities	or structures, equipment design, general maintena	nce or sanitation ed.		
Reference	standard operating procedures (SSOP	operational controls, facilities	or structures, equipment design, general maintena	nce or sanitation ed.		
Reference	standard operating procedures (SSOP	operational controls, facilities	or structures, equipment design, general maintena	nce or sanitation		
Reference	standard operating procedures (SSOP	, operational controls, facilities s). These items are to be co	or structures, equipment design, general maintenal prected by the next regular inspection or as state	nce or sanitation ed.		
Reference	standard operating procedures (SSOP	, operational controls, facilities s). These items are to be co	or structures, equipment design, general maintena	nce or sanitation ed.		
Reference	standard operating procedures (SSOP	, operational controls, facilities s). These items are to be co	or structures, equipment design, general maintenal prected by the next regular inspection or as state	nce or sanitation ed.		
Reference 6-202.15	Standard operating procedures (SSOP) Gap under outer door.	EDUCATION PR	or structures, equipment design, general maintenal prected by the next regular inspection or as stated as a stated	ed.	(date)	
Reference 6-202.15 Person in Cl	standard operating procedures (SSOP	EDUCATION PR	OVIDED OR COMMENTS De Grand Comment design, general maintenance design, general design, g	ed.	(date)	
Reference 6-202.15	Standard operating procedures (SSOP) Gap under outer door.	EDUCATION PR	OVIDED OR COMMENTS OVIDED OR COMMENTS DE LA	ate: 18 May 20 ollow-up:	(date)	